

Notes:

- All dimensions are in millimeters, unless otherwise specified.
- Kerbs to be laid on ST2 concrete bed and backing.
- Setting out on site to be agreed with SCC Engineer before works commence.
- In case of any ambiguity or lack of clarity, the SCC Engineer must be consulted for clarification prior to proceeding.
- Tactile paving must be installed at full size, cutting is not permitted. E.g. if the scheme shows a 2800mm width of crossing, the tactile row must consist of 7 full-size 400x400mm units. The dimension of island to be accordance with table 1.

Key:

BN Bullnosed kerb
DL1 Drop kerb left
DR1 Drop kerb right

Southend-on-Sea
City Council
Infrastructure and Environment
PO Box 5560, Civic Centre
Victoria Avenue, Southend on Sea, SS2 6ZQ

Project Title:
Refuge island type
type A & B

Standard Detail design

Drawn	Date	Review	Date
SC	27.06.2025	AK	28.06.2025
EB	12.06.2025	AG	12.06.2025
Scale: @ A1	As Shown	Revision	Original

Drawing Status: Construction
Drawing Number: RH-002






TABLE 1

Island Type	A	B	C	D
1A	1500	150	0	1200
2A	1600	200	0	1200
3A	1700	250	0	1200
4A	1800	300	0	1200
5A	1900	150	0	1600
6A	2000	200	0	1600
1B	2100	150	200	800
2B	2500	150	600	800
3B	3000	150	1100	800

